

표 189. 갑상선 핵심질문2 근거표

핵심질문 2

문헌정보	연구유형	대상자 수	문헌 질 KCIG
Comparative evaluation of recombinant human thyrotropin-stimulated thyroglobulin levels, 131I whole-body scintigraphy, and neck ultrasonography in the follow-up of patients with papillary thyroid microcarcinoma who have not undergone radioiodine therapy. Torlontano M1, Crocetti U, Augello G, D'Aloiso L, Bonfitto N, Varraso A, Dicembrino F, Modoni S, Frusciantè V, Di Giorgio A, Bruno R, Filetti S, Trischitta V. J Clin Endocrinol Metab. 2006 Jan;91(1):60-3.	prospective cohort study	8	4
Recombinant human thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma. Pacini F1, Molinaro E, Castagna MG, Agate L, Elisei R, Ceccarelli C, Lippi F, Taddei D, Grasso L, Pinchera A. J Clin Endocrinol Metab. 2003 Aug;88(8):3668-73.	retrospective cohort study	340	3
Ultrasonographically detected small thyroid bed nodules identified after total thyroidectomy for differentiated thyroid cancer seldom show clinically significant structural progression. Rondeau G1, Fish S, Hann LE, Fagin JA, Tuttle RM. Thyroid. 2011 Aug;21(8):845-53	Cohort study	191	4
Sonographic findings in the surgical bed after thyroidectomy: comparison of recurrent tumors and nonrecurrent lesions. Shin JH1, Han BK, Ko EY, Kang SS. J Ultrasound Med. 2007 Oct;26(10):1359-66.	retrospective cohort study	59	1
Ultrasound criteria of malignancy for cervical lymph nodes in patients followed up for differentiated thyroid cancer. Leboulleux S1, Girard E, Rose M, Travagli JP, Sabbah N, Caillou B, Hartl DM, Lassau N, Baudin E, Schlumberger M. J Clin Endocrinol Metab. 2007 Sep;92(9):3590-4.	prospective cohort study	19	1
Kouvaraki MA, Shapiro SE, Fornage BD, Edeiken-Monro BS, Sherman SI, Vassilopoulou-Sellin R, Lee JE, Evans DB 2003 Role of preoperative ultrasonography in the surgical management of patients with thyroid cancer. Surgery 134:946-954.	retrospective	212	4
Torlontano M, Crocetti U, Augello G, D'Aloiso L, Bonfitto N, Varraso A, Dicembrino F, Modoni S, Frusciantè V, Di GA, Bruno R, Filetti S, Trischitta V 2006 Comparative evaluation of recombinant human thyrotropin-stimulated thyroglobulin levels, 131I wholebody scintigraphy, and neck ultrasonography in the follow-up of patients with papillary thyroid microcarcinoma who have not undergone radioiodine therapy. J Clin	retrospective	80	2

Endocrinol Metab 91:60-63.			
Pacini F, Molinaro E, Castagna MG, Agate L, Elisei R, Ceccarelli C, Lippi F, Taddei D, Grasso L, Pinchera A 2003 Recombinant human thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma. J Clin Endocrinol Metab 88:3668-3673.	retrospective	340	4
Boi F, Maurelli I, Pinna G, Atzeni F, Piga M, Lai ML, Mariotti S 2007 Calcitonin measurement in wash-out fluid from fine needle aspiration of neck masses in patients with primary and metastatic medullary thyroid carcinoma. J Clin Endocrinol Metab 92:2115-2118.	retrospective	23	4
Kudo T, Miyauchi A, Ito Y, Takamura Y, Amino N, Hirokawa M 2007 Diagnosis of medullary thyroid carcinoma by calcitonin measurement in fine-needle aspiration biopsy specimens. Thyroid 17:635-638	retrospective	?	4
Giraudet AL, Vanel D, Leboulleux S, Auperin A, Dromain C, Chami L, Ny Tovo N, Lumbroso J, Lassau N, Bonniaud G, Hartl D, Travagli JP, Baudin E, Schlumberger M 2007 Imaging medullary thyroid carcinoma with persistent elevated calcitonin levels. J Clin Endocrinol Metab 92:4185-4190.	retrospective	55	4
Elisei R, Pinchera A 2012 Advances in the follow-up of differentiated or medullary thyroid cancer. Nat Rev Endocrinol 8:466-475.	review paper		5
Lundgren CI, Delbridg L, Learoyd D, Robinson B. Surgical approach to medullary thyroid cancer. Arq Bras Endocrinol Metabol. 2007;51:818-24.	review paper		5
Bogsrud TV, Karantanis D, Nathan MA, Mullan BP, Wiseman GA, Kasperbauer JL, Reading CC, Hay ID, Lowe VJ. 18F-FDG PET in the management of patients with anaplastic thyroid carcinoma. Thyroid 18:713-719	restrospective case series	16	4
Poisson T, Deandreis D, Leboulleux S, Bidault F, Bonniaud G, Baillot S, Auperin A, Al Ghuzlan A, Travagli JP, Lumbroso J, Baudin E, Schlumberger M 18F-fluorodeoxyglucose positron emission tomography and computed tomography in anaplastic thyroid cancer. Eur J Nucl Med Mol Imaging 37:2277-2285.	case series	20	4
Fleming JB, Lee JE, Bouvet M, et al. Surgical strategy for the treatment of medullary thyroid carcinoma. Ann Surg 1999;230:697-707.	restrospective case series	40	4
Frasoldati A, Pesenti M, Gallo M, Caroggio A, Salvo D, Valcavi R 2003 Diagnosis of neck recurrences in patients with differentiated thyroid carcinoma. Cancer 97:90-96	restrospective case series	494	4
Antonelli A, Miccoli P, Fallahi P, Grosso M, Nesti C, Spinelli C, Ferrannini E 2003 Role of neck ultrasonography in the follow-up of children operated on for thyroid	restrospective case series	45	4

papillary cancer. Thyroid 13:479-484			
--------------------------------------	--	--	--