

표 206. 신경두경부 핵심질문2 근거표

핵심질문 2

| 문헌정보   | 연구유형             | 대상자 수          | 문헌 질<br>KCIG |
|--|------------------|----------------|--------------|
| Scottish Intercollegiate Guidelines Network (SIGN). Diagnosis and management of headache in adults. A national clinical guideline.<br>SIGN Publication No. 107. Edinburgh: SIGN; 2008. Available from:<br><a href="http://www.sign.ac.uk/guidelines/fulltext/107/index.html">http://www.sign.ac.uk/guidelines/fulltext/107/index.html</a> (accessed July 3, 2012). | guideline        | N/A            | 1            |
| Jordan JE, Ramirez GF, Bradley WG, Chen DY, Lightfoote JB, Song A. Economic and outcomes assessment of magnetic resonance imaging in the evaluation of headache. Journal of the National Medical Association. 2000; 92(12):573-578. (Guideline Ref ID JORDAN2000)  | Observational    | 328 patients   | 5            |
| Tsushima y, Endo K. MR imaging in the evaluation of chronic or recurrent headache. Radiology 2005;235(2):575-9.  | Observational    | 306 patients   | 5            |
| Nawaz M, Amin A, Qureshi AN, Jehanzeb M. Audit of appropriateness and outcome of computed tomography brain scanning for headaches in paediatric age group. J Ayub Med Coll Abbottabad 2009; 21(1):91-93.   | Review/Other-Dx  | 100 patients   | 5            |
| Frishberg BM. The utility of neuroimaging in the evaluation of headache in patients with normal neurologic examinations. Neurology. 1994;44(7):1191-1197.  | Review/Other-Dx  | N/A            | 5            |
| Mitchell CS, Osborn RE, Grosskreutz SR. Computed tomography in the headache patient: is routine evaluation really necessary? Headache. 1993;33(2):82-86.   | Review/Other-Dx  | 350 patients   | 5            |
| Osborn RE, Alder DC, Mitchell CS. MR imaging of the brain in patients with migraine headaches. AJNR Am J Neuroradiol. 1991;12(3):521-524.  | Review/Other-Dx  | 41 patients    | 5            |
| Weingarten S, Kleinman M, Elperin L, Larson EB. The effectiveness of cerebral imaging in the diagnosis of chronic headache. Arch Intern Med. 1992;152(12):2457-2462.   | Observational-Dx | 89 patients    | 5            |
| Becker LA, Green LA, Beaufait D, Kirk J, Froom J, Freeman WL. Use of CT scans for the investigation of headache: a report from ASPN, Part 1. J Fam Pract. 1993;37(2):129-134.  | Observational-Dx | 349 CT scans   | 5            |
| Reinus WR, Erickson KK, Wippold FJ, 2nd. Unenhanced emergency cranial CT: optimizing patient selection with univariate and multivariate analyses. Radiology. 1993;186(3):763-768.  | Observational-Dx | 1,074 patients | 5            |
| Forsyth PA, Posner JB. Headaches in patients with brain tumors: a study of 111 patients. Neurology.  | Observational-Dx | 111 patients   | 5            |

|  |               |                |   |
|--|---------------|----------------|---|
| 1993;43(9):1678–1683.  |               |                |   |
| Sempere AP, Porta–Etesam J, Medrano v, Garcia–Morales I, Concepcion L, Ramos A, et al. Neuroimaging in the evaluation of patients with non–acute headache. <i>Cephalalgia</i> 2005;25(1):30–5.   | Observational | 1,876 patients | 2 |
| US Headache Consortium, Frishberg BM, Rosenberg JH, Matchar DB, McCrory DC, Pietrzak MP, et al. Evidence based guidelines in the primary care setting: neuroimaging in patients with non–acute headache. [cited 16 Oct 2008]. Available from url: <a href="http://www.aan.com/professionals/practice/pdfs/gl0088.pdf">http://www.aan.com/professionals/practice/pdfs/gl0088.pdf</a>  | guideline     | 28 studies     | 1 |
| Wang HZ, Simonson TM, Greco WR, yuh WTC. Brain MR imaging in the evaluation of chronic headache in patients without other neurologic symptoms. <i>Acad Radiol</i> 2001;8(5):405–8. US Headache Consortium, Frishberg BM, Rosenberg JH, Matchar DB, McCrory DC, Pietrzak MP, et al. Evidence based guidelines in the primary care setting: neuroimaging in patients with non–acute headache. [cited 16 Oct 2008]. Available from url: <a href="http://www.aan.com/professionals/practice/pdfs/gl0088.pdf">http://www.aan.com/professionals/practice/pdfs/gl0088.pdf</a> | Observational | 402 patients   | 5 |
| Evers S, Afra, J, Frese, A, Goadsby, PJ, Linde, M, May, A and Sandor, PS. EFNS guideline on the drug treatment of migraine – report of an EFNS task force. <i>Eur J Neurol</i> 2006;13(6):560–72.  | guideline     |                | 1 |
| National Clinical Guideline C. National Institute for Health and Clinical Excellence: Guidance. Headaches: Diagnosis and Management of Headaches in Young People and Adults. London: Royal College of Physicians (UK) National Clinical Guideline Centre.; 2012.   | guideline     | N/A            | 1 |
| Cull RE. Investigation of late–onset migraine. <i>Scottish Medical Journal</i> . 1995; 40(2):50–52. (Guideline Ref ID CULL1995)  | Observational | 69 patients    | 5 |
| Demaerel P, Boelaert I, Wilms G, Baert AL. The role of cranial computed tomography in the diagnostic work–up of headache. <i>Headache</i> . 1996; 36(6):347–348. (Guideline Ref ID DEMAEREL1996)   | Observational | 363 patients   | 5 |
| Howard L, Wessely S, Leese M, Page L, McCrone P, Husain K et al. Are investigations anxiolytic or anxiogenic? A randomised controlled trial of neuroimaging to provide reassurance in chronic daily headache. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> . 2005; 76(11):1558–1564. (Guideline Ref ID HOWARD2005)   | RCT           | 150 patients   | 2 |
| Demaerel P, Boelaert I, Wilms G, Baert AL. The role of cranial computed tomography in the diagnostic work–up of headache.  |               |                |   |

|   |  |  |  |
|---|--|--|--|
| Headache. 1996; 36(6):347-348. (Guideline Ref ID<br>DEMAEREL1996) |  |  |  |
|---|--|--|--|