

표 252. 치과1 핵심질문1-2 근거표

문헌정보	연구유형	대상자 수	문헌 질 KCIG
Harris D, Buser D, Dula K, Gröndahl K, Jacobs R, Lekholm U, Nakielny R, van Steenberghe D, van der Stelt P. E.A.O. Guidelines for the use of diagnostic imaging in implant dentistry. Clin Oral Implants Res 2002; 13: 566-570.	consensus statement		3
Mandelaris GAS, E. T. Evans, M. Kim, D. McAllister, B. Nevins, M. L. Rios, H. F. Sarment, D. American Academy of Periodontology Best Evidence Consensus Statement on Selected Oral Applications for Cone-Beam Computed Tomography. J Periodontol. 2017;88(10):939-45.	consensus statement		2
Rios, H. F. B., W. S. Benavides, E. (2017). "The Use of Cone-Beam Computed Tomography in Management of Patients Requiring Dental Implants: An American Academy of Periodontology Best Evidence Review." Journal of Periodontology 88(10): 946-959.	evidence review	176 studies	2
Sarmast, N. D. W., H. H. Soldatos, N. K. Angelov, N. Dorn, S. Yukna, R. Iacono, V. J. (2016). "A Novel Treatment Decision Tree and Literature Review of Retrograde Peri-Implantitis." Journal of Periodontology 87(12): 1458-1467.	review	20 studies	4
Yilmaz, Z. U., C. Scher, E. Suzuki, J. Renton, T. (2017). "A Survey of the Opinion and Experience of UK Dentists: Part 2: Risk Assessment Strategies and the Management of Iatrogenic Trigeminal Nerve Injuries Related to Dental Implant Surgery." Implant Dentistry 26(2): 256-262.	suvey	405 dentists	4
Politis, C. A., J. Van Hevele, J. Nicolielo, L. De Laat, A. Lambrichts, I. Jacobs, R. (2017). "Report of Neuropathic Pain After Dental Implant Placement: A Case Series." International Journal of Oral & Maxillofacial Implants 32(2): 439-444.	case series	31 patiens	
Bruschi, G. B. C., P. Bravi, F. Grande, N. Gherlone, E. Gastaldi, G. Crespi, R. (2017). "Radiographic Evaluation of Crestal Bone Level in Split-Crest and Immediate Implant Placement: Minimum 5-Year Follow-up." International Journal of Oral & Maxillofacial Implants 32(1): 114-120.	consecutive patient	137 dental implants	2

<p>Ter Gunne, L. P. D., B. Wismeijer, D. Hassan, B. (2016). "Immediate and Early Loading of Two-Implant-Supported Mandibular Overdentures: Three-Year Report of Loading Results of a Single-Center Prospective Randomized Controlled Clinical Trial." International Journal of Oral &amp; Maxillofacial Implants 31(5): 1110-1116.</p>	<p>RCT 영상치의학RCT 논아님</p>	<p>40 patients</p>	<p>2</p>
<p>Klokkevold, P. R. (2015). "Cone Beam Computed Tomography for the Dental Implant Patient." CDA JOURNAL, VOL 4 3 , N<sup>o</sup> 9.</p>	<p>review</p>	<p>52 studies</p>	<p>4</p>