

○ KQ1: 구순구개열 환자를 진단하기 위한 적절한 영상검사는 무엇인가?

Medline과 Embase 검색후 중복제거 건수:

Ovid MEDLINE(R) 1946 to Present with Daily Update

| : 2022. 06. 24 | | | |
|----------------|---|--|---------|
| | N | 검색어 | 검색 결과 |
| P | 1 | exp Cleft Palate/ OR exp Cleft Lip/ OR ((cleft adj2 lip*) or (cleft adj2 palate*) OR craniofacial anomal* OR Harelip*).tw,kw. | 30,376 |
| 검사 | 2 | exp Cone-Beam Computed Tomography/ OR (Cone-Beam Comput* Tomograph* or CBCT).tw,kw. | 15,348 |
| | 3 | Multidetector Computed Tomography/ OR (MDCT OR MSCT).tw,kw. | 14,924 |
| | 4 | exp Radiography, Dental/ OR (dental radiogra*).tw,kw. OR ((periapical OR panoramic OR occlusal) adj2 (radiogra* OR view)).tw,kw. | 26,096 |
| | 5 | ((imaging or radiolog* or radiograp*) and (oral or dental)).tw,kw. | 33,716 |
| | 6 | OR/2-5 | 79,168 |
| P&검사 | 7 | 1 AND 6 | 788 |
| 지침필터 | 8 | (guideline* or recommendation*).ti. or (practice guideline or guideline).pt | 132,642 |
| 총합 | 9 | 7 AND 8 | 2 |

Embase

| 검색일: 2022. 06. 24 | | | |
|-------------------|---|---|---------|
| | N | 검색어 | 검색 결과 |
| P | 1 | 'cleft palate'/exp OR 'cleft lip palate'/exp OR ((cleft NEAR/2 lip*) or (cleft NEAR/2 palate*) OR 'craniofacial anomal' OR Harelip*):ab,ti,kw | 41,309 |
| 검사 | 2 | 'cone beam computed tomography'/exp or 'multidetector computed tomography'/exp | 60,529 |
| | 3 | (MDCT OR MSCT):ab,ti,kw | 17,912 |
| | 4 | 'dental radiology'/exp OR ((periapical OR panoramic OR occlusal) NEAR/2 (radiogra* OR view)):ab,ti,kw | 27,477 |
| | 5 | ((imaging or radiolog* or radiograp*) and (oral or dental)):ab,ti,kw | 61,202 |
| | 6 | #2 OR #3 OR #4 OR #5 | 140,010 |
| P&검사 | 7 | #1 AND #6 | 1,121 |
| 지침필터 | 8 | guideline*:ti,kw OR recommendation*:ti,kw | 195,705 |
| 총합 | 9 | #7 AND #8 | 6 |

G-I-N

| 검색일: 2022. 06. 24 | | |
|-------------------|--------------|-------|
| N | | 검색 결과 |
| 1 | cleft lip | 1 |
| 2 | cleft palate | 1 |

국내DB 검색전략 및 결과

1. 치과 국내 문헌DB

| : 2022. 06. 24 | | | | |
|----------------|---|--|-------|----|
| 검색 사이트 | N | 검색어 | 관련 문헌 | 비고 |
| 1.KoreaMed | 1 | ((("cleft lip"[ALL] OR "cleft palate"[ALL]) AND guideline[ALL]) | 6 | |
| | 2 | ((("cleft lip"[ALL] OR "cleft palate"[ALL]) AND recommendation[ALL]) | 1 | |
| | 3 | 소개 | 7 | |
| | 4 | 단순중복 제거 후 | 7 | |
| 2.KMBASE | 1 | ([ALL=구순구개열] AND [ALL=지침]) | 0 | |
| | 2 | ([ALL=구순구개열] AND [ALL=권고]) | 0 | |
| | 3 | ([ALL=구순구개열] AND [ALL=가이드라인]) | 0 | |
| | 4 | 소개 | 0 | |
| | 5 | 단순중복 제거 후 | 0 | |

표 2. 치과 국내 진료지침DB

| 검색사이트 | N | 지침 제목 | 연도 | 개발학회 |
|-------|---|-----------|----|------|
| KoMGI | 1 | * 검색결과 없음 | | |
| | 2 | 소개 (0건) | | |